

Laguer, BenjaminMRN: 4014163
Description: 54 year old male**Radiation Treatment Summary** Encounter Date: 12/11/2017 11:59 PM**Kimberley Mak, MD, MPH**

Radiation Med


RADIATION ONCOLOGY COMPLETION NOTE

Patient Name: BENJAMIN LAGUER
Patient MRN: 4014163
Radiation Oncologist: Kimberley Mak
Referring Physician: NONE NONE
Diagnosis Code: Primary C22.0 - Liver cell carcinoma, Diagnosed 10/18/2017 (Active)
Treatment Dates: 11/29/2017 - 12/11/2017
Date: 12/11/2017

ONCOLOGIC HISTORY: Benjamin Laguer is a 54 y.o. male with PMHx significant for HCC on sorafenib (since 6/2017) s/p multiple ablation and TACE procedures, HCV s/p Harvoni, cirrhosis, portal HTN w/ ascites and esophageal varices, DM2, HTN, and GERD, receiving 50 Gy in 5 fx SBRT to periaortic lymph node involvement.

TREATMENT INTENT: Curative**CONCURRENT CHEMOTHERAPY:** None**PRESCRIPTION:** 17-11_CK Abdomen (Plan ID - Para-aorticLN) - Rx Dose 5,000cGy (Status - Treatment Approved) - 5 / 5**RADIATION TREATMENT:****Treatment Dates:** 11/29/2017 - 12/11/2017**Elapsed Days:** 17-11_CK Abdomen 12 day(s)**Prescription & Treatment:** 17-11_CK Abdomen (Plan ID - Para-aorticLN) - Rx Dose 5,000cGy (Status - Treatment Approved) - 5 / 5**Treated Plans:** Course: 17-11_CK Abdomen

Plan ID	Energy	Fractions	Dose per Fraction (cGy)	Dose Correction (cGy)	Total Dose Delivered (cGy)	Elapsed Days
Para-aorticLN	6X	5 / 5	1,000	0	5,000	12



Reference Points: Paraaortic - Planned Dose 5,000cGy - Actual Dose 5,000cGy

SPECIAL TECHNICAL CONSIDERATIONS:

Cyberknife Stereotactic Radiosurgery:

CT simulation was performed for stereotactic treatment planning. The patient was immobilized in a body length vac bag. The tumor and critical/normal structures were defined on the CT dataset. A CyberKnife treatment plan was formulated to treat the PTV with the Rx dose indicated above. Continuous IGRT was done with the CyberKnife's fiducial tracking/Synchrony systems.

I have personally reviewed the number of treatments and total administered dose to be correct.

Treatment information and administered dose is transferred to EPIC.

Does Total Dose or Number of Treatments deviate from Physicians Intent ? NO

TREATMENT TOLERANCE AND COURSE: BENJAMIN LAGUER tolerated therapy well. BENJAMIN LAGUER was able to complete the therapy without un-planned treatment breaks. He had stable diffuse abdominal pain, for which he took oxycodone with relief. Daily pre-medication with 4mg of dexamethasone was used for this treatment.

PAIN MANAGEMENT PLAN: oxycodone


DISPOSITION: Follow-up in Medical Oncology 1/11/18. To see Radiation Oncology on an as needed basis.

Entered By: K. Mak

Physician Signature: Kimberley Mak

Radiation Treatment Summary on 12/11/2017

Flowsheet Data



The graph shows the data in chronological order (2/17/2016 - 1/11/2018)

Laguer, Benjamin [4014163] - DOB: 5/1/1963
Printed on: 2/8/2018 1:32:50 PM